



IBIZA

_Refrigerators and freezers. Plug-in installation

More sales through perfect product visibility.

Compact, well-conceived freezer unit with four glass side panels for optimum visibility.



ENVIRONMENT AND CLIMATE

IBIZA units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. In addition, the electronically controlled, variable-speed compressor (VS) and a new energy-saving fan ensure maximum energy efficiency.



VISUAL MERCHANDISING

Thanks to mist-free glass panels on all four sides, IBIZA offers excellent visibility of the goods on display. The bright LED interior lighting ensures perfect product presentation. In addition, the robust, smooth-running, completely encased sliding glass cover guarantees easy removal of merchandise.



INTELLIGENT INSTALLATION

Ready-to-connect installation means IBIZA can be used immediately. ABS injection makes the refrigeration unit extremely robust. In addition, the sliding glass cover is lockable.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mince meat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

PERFECT PRODUCT PRESENTATION

The large panoramic sliding glass lids and the four-sided glazing optimize the product visibility. In addition, Ibiza scores thanks to its low height and easy product removal.

ACCESSIBILITY

IBIZA is accessible from all four sides and the removal of goods for customers is easy.





IBIZA 100



IBIZA 145



IBIZA 210

CONFIGURATIONS

Solo



Row






ACCESSORIES

- _ Scanner strip
- _ Vario grid system (rack inserts & wire dividers) & baskets & product dividers
- _ Illuminated LED advertising panel
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Key lock
- _ Compatible with the Active Monitoring System (AMS)

IBIZA 100 / 145 / 210



DIMENSIONS

IBIZA		100	145	210
Length, exterior / interior	mm	1,000 / 872	1,456 / 1,328	2,100 / 1,973
Depth, exterior / interior	mm	851 / 723	851 / 723	851 / 723
Height, front / rear	mm	900 / 925	900 / 925	900 / 925
Stacking height, front / rear	mm	500 / 500	500 / 500	500 / 500

Subject to technical changes; errors and omissions excepted. Version: 01/2022



AHT Cooling Systems Russia LLC

Proezd 4807, build.1, Zelenograd
 124489 Moscow, Russian Fed
 Phone +7 499 136 59 59
 info@ru.aht.at
 www.ru.aht.at